

| L Number | Hits | Search Text | DB | Time stamp |
|----------|------|---|---|------------------|
| - | 89 | ((built-in-self-test or built-in\$1self-test or BIST) same (control near4 signal mode) same ((programmable or control\$4 or selectable) near4 (MUX or multiplex\$2)) and (memory or \$2RAM or (plurality near2 addressable near2 memory near2 locations))) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/06/17 14:18 |
| - | 29 | ((built-in-self-test or built-in\$1self-test or BIST) same (control near4 signal mode) same ((programmable or control\$4 or selectable) near4 (MUX or multiplex\$2)) and (memory or \$2RAM or (plurality near2 addressable near2 memory near2 locations)) and (external near6 control)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/06/16 13:01 |
| - | 37 | ((built-in-self-test or built-in\$1self-test or BIST) same (control near4 signal mode) same ((programmable or control\$4 or selectable) near4 (MUX or multiplex\$2)) and (interface near4 (logic module device control\$3))) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/06/16 17:39 |
| - | 1 | ((built-in-self-test or built-in\$1self-test or BIST) same (control near4 signal mode) same (MUX or multiplex\$2) and (interface near4 (logic module device control\$3)) same ((input/output or I/O) near2 controller)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/06/16 13:44 |
| - | 0 | ((built-in-self-test or built-in\$1self-test or BIST) same (MUX or multiplex\$2) and (interface near4 (logic module device control\$3)) same ((input/output or I/O or disk) near2 controller)) and host near4 controller and disk near4 storage) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/06/16 13:47 |
| - | 0 | ((built-in-self-test or built-in\$1self-test or BIST) same (MUX or multiplex\$2) and ((input/output or I/O or disk) near2 controller)) and host near4 controller and disk near4 storage) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/06/16 13:48 |
| - | 31 | ((built-in-self-test or built-in\$1self-test or BIST) same (MUX or multiplex\$2) and (input/output or I/O or disk) near2 controller)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/06/16 14:15 |
| - | 124 | ((built-in-self-test or built-in\$1self-test or BIST) and (MUX or multiplex\$2) and (input/output or I/O or disk) near2 controller)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/06/16 16:04 |
| - | 1 | ((built-in-self-test or built-in\$1self-test or BIST) and (MUX or multiplex\$2) and (input/output or I/O or disk) near2 controller))) and ((built-in-self-test or built-in\$1self-test or BIST) and disk).ab,ti. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/06/16 14:17 |
| - | 0 | ((built-in-self-test or built-in\$1self-test or BIST) and (MUX or multiplex\$2) and (input/output or I/O or disk) near2 controller))) and SUT | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/06/16 14:17 |
| - | 3 | ((built-in-self-test or built-in\$1self-test or BIST) and (SUT or system\$1under\$1test)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/06/16 14:18 |
| - | 1 | ((programmable near5 (built-in-self-test or built-in\$1self-test or BIST)) and (MUX or multiplex\$2) and ((input/output or I/O or disk) near2 controller)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/06/16 16:13 |
| - | 5 | ((program\$5 near5 (built-in-self-test or built-in\$1self-test or BIST)) and (MUX or multiplex\$2) and ((input/output or I/O) near2 controller)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/06/17 14:47 |

| | | | | |
|---|----|-----------------------|---|------------------|
| - | 75 | Attaway.in. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/06/16 17:05 |
| - | 2 | Attaway.in. and BIST | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/06/16 17:05 |
| - | 0 | Attaway-Brett-W.ini | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/06/16 17:06 |
| - | 0 | Attaway-Brett-W\$.ini | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/06/17 09:13 |
| - | 1 | | USPAT; US-PGPUB | 2004/06/16 17:08 |
| - | 1 | | USPAT; US-PGPUB | 2004/06/16 17:11 |
| - | 1 | | USPAT; US-PGPUB | 2004/06/16 17:11 |
| - | 1 | | USPAT; US-PGPUB | 2004/06/16 17:15 |
| - | 1 | | USPAT; US-PGPUB | 2004/06/16 17:16 |
| - | 1 | | USPAT; US-PGPUB | 2004/06/16 17:18 |
| - | 1 | | USPAT; US-PGPUB | 2004/06/16 17:18 |
| - | 1 | | USPAT; US-PGPUB | 2004/06/16 17:19 |
| - | 1 | | USPAT; US-PGPUB | 2004/06/16 17:20 |
| - | 1 | | USPAT; US-PGPUB | 2004/06/16 17:21 |
| - | 1 | | USPAT; US-PGPUB | 2004/06/16 17:21 |
| - | 1 | | USPAT; US-PGPUB | 2004/06/16 17:24 |
| - | 1 | | USPAT; US-PGPUB | 2004/06/16 17:26 |
| - | 1 | | USPAT; US-PGPUB | 2004/06/16 17:26 |
| - | 1 | | USPAT; US-PGPUB | 2004/06/16 17:28 |
| - | 1 | | USPAT; US-PGPUB | 2004/06/16 17:29 |
| - | 1 | | USPAT; US-PGPUB | 2004/06/16 17:29 |
| - | 1 | | USPAT; US-PGPUB | 2004/06/16 17:31 |
| - | 1 | | USPAT; US-PGPUB | 2004/06/16 17:31 |
| - | 1 | | USPAT; US-PGPUB | 2004/06/16 17:32 |
| - | 1 | | USPAT; US-PGPUB | 2004/06/16 17:32 |
| - | 1 | | USPAT; US-PGPUB | 2004/06/16 17:32 |
| - | 1 | | USPAT; US-PGPUB | 2004/06/16 17:33 |
| - | 1 | | USPAT; US-PGPUB | 2004/06/16 17:33 |

| | | | | |
|---|------|--|---|------------------|
| - | 1 | | USPAT; US-PGPUB | 2004/06/16 17:33 |
| - | 1 | | USPAT; US-PGPUB | 2004/06/16 17:34 |
| - | 1 | | USPAT; US-PGPUB | 2004/06/16 17:34 |
| - | 1 | | USPAT; US-PGPUB | 2004/06/16 17:34 |
| - | 1 | | USPAT; US-PGPUB | 2004/06/16 17:34 |
| - | 1 | | USPAT; US-PGPUB | 2004/06/16 17:35 |
| - | 1454 | external\$2 near4 (program\$5 or select\$4 or control\$4) near5 (multiplex\$2 or MUX) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/06/16 17:38 |
| - | 64 | (external\$2 near4 (program\$5 or select\$4 or control\$4) near5 (multiplex\$2 or MUX)) and (built-in-self-test or built-in\$1self-test or BIST) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/06/16 17:40 |
| - | 2 | Attaway-Brett\$.in. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/06/17 09:13 |
| - | 75 | Attaway\$.in. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/06/17 09:25 |
| - | 75 | Attaway.in. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/06/17 09:34 |
| - | 2 | 6636933.pn. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/06/17 09:36 |
| - | 2 | 6578126.pn. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/06/17 09:39 |
| - | 2 | 6594739.pn. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/06/17 09:41 |
| - | 0 | 09927042-\$.did. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/06/17 09:41 |
| - | 0 | US-09927042-\$.did. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/06/17 09:42 |
| - | 0 | US-09927042\$.did. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/06/17 09:42 |

| | | | | |
|---|----------|--|---|------------------|
| - | 15 | (US-6707718-\$ or US-5987632-\$ or US-5878051-\$ or US-6457141-\$ or US-6408413-\$ or US-6169418-\$ or US-6208477-\$ or US-5784382-\$ or US-5355369-\$ or US-5258985-\$ or US-5872793-\$ or US-5982681-\$).did. or (US-20020194557-\$ or US-20020174394-\$ or US-20020056063-\$).did. | USPAT; US-PGPUB | 2004/06/17 14:13 |
| - | 1 | ((US-6707718-\$ or US-5987632-\$ or US-5878051-\$ or US-6457141-\$ or US-6408413-\$ or US-6169418-\$ or US-6208477-\$ or US-5784382-\$ or US-5355369-\$ or US-5258985-\$ or US-5872793-\$ or US-5982681-\$).did. or (US-20020194557-\$ or US-20020174394-\$ or US-20020056063-\$).did.) and (I/O near2 controller) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/06/17 14:14 |
| - | 308 | (built-in-self-test or built-in\$1self-test or BIST) same parallel | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/06/17 14:19 |
| - | 261 | ((built-in-self-test or built-in\$1self-test or BIST) same parallel) and memory | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/06/17 14:23 |
| - | 261 | ((built-in-self-test or built-in\$1self-test or BIST) same parallel) and memory | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/06/17 14:24 |
| - | 69 | ((built-in-self-test or built-in\$1self-test or BIST) same (parallel near4 testing)) and memory | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/06/17 14:27 |
| - | 32 | ((built-in-self-test or built-in\$1self-test or BIST) same (parallel near4 testing)) same memory | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/06/17 14:37 |
| - | 630043 | ((built-in-self-test or built-in\$1self-test or BIST) same ((parallel concurrent) near4 testing)) same memory \$2RAM) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/06/17 14:39 |
| - | 58 | (program\$5 near5 (built-in-self-test or built-in\$1self-test or BIST)) and ASIC | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/06/17 14:48 |
| - | 22 | (programmable near5 (built-in-self-test or built-in\$1self-test or BIST)) and ASIC | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/06/18 13:34 |
| - | 665 | 714/733.ccls. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/06/17 15:14 |
| - | 221 | 714/711.ccls. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/06/18 09:18 |
| - | 24343983 | ((714/711, 733.ccls.) and (interface same BIST) @py<2001) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/06/18 09:21 |

| | | | | |
|---|----|---|---|------------------|
| - | 2 | ((714/711, 733.ccls.) and (interface same BIST) and @py<2001) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/06/18 09:22 |
| - | 44 | ((714/711, 733.ccls.) and interface and @py<2001) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/06/18 09:23 |